Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method for reducing a condition associated with fetal alcohol syndrome in a subject fetus who is exposed to alcohol in utero, the method comprising administering to the subject fetus while in utero an ADNF polypeptide in an amount sufficient to reduce the condition associated with fetal alcohol syndrome;

wherein the ADNF polypeptide is administered before alcohol exposure;
wherein the condition associated with fetal alcohol syndrome is selected from the group consisting of decreased body weight of the fetus, decreased brain weight of the fetus, decreased level of VIP mRNA of the fetus, and likelihood of death of the fetus in utero; and wherein the ADNF polypeptide is a member selected from the group consisting of:

- (a) an ADNF I polypeptide having the following amino acid sequence:
- (R¹)_x-Ser-Ala-Leu-Leu-Arg-Ser-Ile-Pro-Ala-(R²)_y (SEQ ID NO:3);
- (b) an ADNF III polypeptide having the following amino acid sequence:
- (R³)_w-Asn-Ala-Pro-Val-Ser-Ile-Pro-Gln-(R⁴)_z (SEQ ID NO:4);
- (c) a mixture of the ADNF I polypeptide of part (a) and the ADNF III polypeptide of part (b);

wherein R¹, R², R³, and R⁴ are independently selected and are an amino acid sequence comprising from 1 to about 40 amino acids wherein each amino acid is independently selected; and

- x, y, w, and z are independently selected and are equal to zero or one.
- 2-3. (Cancelled)

- 4. (Previously presented) The method of claim 1, wherein for the ADNF I polypeptide x and y are both zero.
- 5. (Previously presented) The method of claim 1, wherein for the ADNF I polypeptide:

x is one;

R1 is Val-Leu-Gly-Gly-Gly (SEQ ID NO:5); and

y is zero.

6. (Previously presented) The method of claim 1, wherein for the ADNF I polypeptide:

x is one;

R¹ is Val-Glu-Glu-Gly-Ile-Val-Leu-Gly-Gly (SEQ ID NO:6);

and

y is zero.

- 7. (Previously presented) The method of claim 1, wherein for the ADNF III polypeptide w and z are both zero.
- 8. (Previously presented) The method of claim 1, wherein for the ADNF III polypeptide:

w is one;

R³ is Gly-Gly; and

z is zero.

9. (Previously presented) The method of claim 1, wherein for the ADNF III polypeptide:

w is one;

R³ is Leu-Gly-Gly;

z is one; and

R⁴ is Gln-Ser.

10. (Previously presented) The method of claim 1, wherein for the ADNF III polypeptide:

w is one;

R³ is Leu-Gly-Leu-Gly-Gly (SEQ ID NO:7);

z is one; and

R⁴ is Gln-Ser.

11. (Previously presented) The method of claim 1, wherein for the ADNF III polypeptide:

w is one;

R³ is Ser-Val-Arg-Leu-Gly-Leu-Gly-Gly (SEQ ID NO:8);

z is one; and

R⁴ is Gln-Ser.

- 12. (Previously presented) The method of claim 1, wherein the ADNF polypeptide is a mixture of ADNF I polypeptide of part (a) and the ADNF III polypeptide of part (b).
- 13. (Previously presented) The method of claim 1, wherein x, y, w, and z are all zero.
 - 14. (Cancelled)
- 15. (Currently amended) The method of claim 1, wherein the condition is a decreased body weight of the subject fetus.
- 16. (Currently amended) The method of claim 1, wherein the condition is a decreased brain weight of the subject fetus.

- 17. (Currently amended) The method of claim 1, wherein the condition is a decreased level of VIP mRNA of the subject.
- 18. (Currently amended) The method of claim 1, wherein the condition is likelihood of death of the subject fetus in utero.

19-44. (Cancelled)

45. (New) The method of claim 1, wherein the ADNF polypeptide is a mixture of an ADNF I polypeptide consisting of SEQ ID NO:1 and an ADNF III polypeptide consisting of SEQ ID NO:2.